Hello Bio, Inc. 304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500 F. 609-228-4994

customercare-usa@hellobio.com



# **DATASHEET**

MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium (aqueous)

### **Product overview**

Name Cat No **Biological description**  MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium (agueous) HB9854

Overview

MightyMount<sup>™</sup> Antifade Fluorescence Mounting Medium (aqueous) is an ideal formulation for prevention of photobleaching of fluorescent proteins and dyes during fluorescent imaging. It is easy to use with an ideal refractive index and provides effective prevention of photobleaching.

Applications: IHC(IF), ICC, Cellular imaging, Super-resolution microscopy

**Mounting:** Aqueous (non-setting)

Antifade: Yes Counterstain: None Refractive index: 1.45

### **Other Mounting Media Products**

We supply a full range of mounting media for a range of experimental needs:

#### Hardset:

- HB6966 MightyMountTM Antifade Fluorescence Mounting Medium (hardset)
- HB8459 MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium with DAPI (hardset)
  HB7033 MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium with Propidium Iodide (hardset)
- HB7508 MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium with Phalloidin-TRITC (hardset)

#### Aqueous:

- HB7618 MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium with DAPI (aqueous)
- HB8761 MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium with Propidium Iodide
- HB9417 MightyMount<sup>TM</sup> Antifade Fluorescence Mounting Medium with Phalloidin-TRITC (aqueous)


ICC, IF, IHC(IF)


Antifade aqueous fluorescence mounting medium for use in IHC(IF) and ICC.


### **Images**


**Applications** 

Description









## **Biological Data**

### **Application notes**

### Protocol for use of mounting media

#### IHC(IF)

- 1. Mount sections onto subbed or charged microscope slides and air dry (in the dark) until sections are moist but all excess liquid has evaporated
- 2. Add a few drops of mounting media around the sections (around 50µl but this will depend on the number and thickness of sections) and slowly lower the coverslip from one end of the slide to the other being careful to avoid creating any bubbles.
- 3. Use clear nail varnish to seal the edges of the slide to avoid movement during imaging and stop evaporation.

For more information on IHC(IF) including tips on how to mount sections, please see our IHC(IF) protocol

### ICC

- 1. Add a drop of mounting medium (Around  $5\mu$ l for a 10mm and  $15\mu$ l for a 22mm coverslip) to a standard microscope slide.
- 2. Briefly rinse the coverslip in dH<sub>2</sub>O before placing face down into the drop of mounting medium being careful not to introduce bubbles.
- Use clear nail varnish to seal the edges of the coverslip to avoid movement during imaging and stop evaporation.

For more information on ICC please see our ICC protocol

# **Solubility & Handling**