

Hello Bio, Inc.
304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500
F. 609-228-4994

customercare-usa@hellobio.com



DATASHEET

Sodium butyrate

Product overview

Name	Sodium butyrate
Cat No	HB1399
Alternative names	NaB; SB
Biological action	Inhibitor
Description	HDAC inhibitor. Directs mESC differentiation into hepatocytes.

Images



Biological Data

Biological description	Histone deacetylase (HDAC) inhibitor (IC ₅₀ values are 0.3, 0.3 and 0.4 mM for HDAC1, 7 and 2 respectively). Does not inhibit HDAC6 and HDAC10. Upregulates expression of pluripotency genes in iPSCs and directs mESC differentiation into hepatocytes. Improves cognition and shows anti-Alzheimer's disease and antidepressant actions.
-------------------------------	---


Solubility & Handling

Solubility overview	Soluble in water (100mM)
Storage instructions	Room temperature
Storage of solutions	Prepare and use solutions on the same day if possible. Store solutions at -20 °C for up to one month if storage is required. Equilibrate to RT and ensure the solution is precipitate free before use.
Shipping Conditions	Stable for ambient temperature shipping. Follow storage instructions on receipt.
Important	This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not for human or veterinary use.

Chemical Data

Chemical name	Butanoic acid sodium salt
Molecular Weight	110.09
Chemical structure	

Molecular Formula



Chemical name

Butanoic acid sodium salt

$C_4H_7NaO_2$

Chemical name	Butanoic acid sodium salt
CAS Number	156-54-7
PubChem identifier	5222465
SMILES	[Na+].CCCC([O-])=O
InChi	InChI=1S/C4H8O2.Na/c1-2-3-4(5)6;/h2-3H2,1H3,(H,5,6);/q;+1/p-1
InChiKey	MFBOGIVSZKQAPD-UHFFFAOYSA-M
MDL number	MFCD00002816
Appearance	White solid

References

Histone deacetylase is a target of valproic acid-mediated cellular differentiation.

Gurvich N *et al* (2004) Cancer Res 64(3)

PubMedID [14871841](#)

Sodium butyrate functions as an antidepressant and improves cognition with enhanced neurotrophic expression in models of maternal deprivation and chronic mild stress.

Valvassori SS *et al* (2014) Curr Neurovasc Res 11(4)

PubMedID [25233278](#)

Sodium butyrate efficiently converts fully reprogrammed induced pluripotent stem cells from mouse partially reprogrammed cells.

Kang SJ *et al* (2014) Cell Reprogram 16(5)

PubMedID [25093667](#)

Sodium butyrate improves memory function in an Alzheimer's disease mouse model when administered at an advanced stage of disease progression.

Govindarajan N *et al* (2011) J Alzheimers Dis 26(1)

PubMedID [21593570](#)
