Hello Bio, Inc. 304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500 F. 609-228-4994

customercare-usa@hellobio.com



DATASHEET

Product overview

Name	NMDA
Cat No	HB0454
Biological action	Agonist
Purity	>99%
Description	Prototypic NMDA receptor agonist

Images



Biological Data

Biological description Application notes Prototypic NMDA receptor agonist which mimics the action of glutamate. Potent excitant. The prototypic NMDA receptor agonist NMDA is effective at a range of concentrations and typically used at 100 μ M. NMDA from Hello Bio induces inward depolarising whole-cell currents in cortical neurons at 10 μ M with prominent currents at 50 μ M. The actions of NDMA were fully blocked by D-AP5 (NMDAR antagonist) at 100 μ M (see Fig 1 above).

#Protocol 1: NMDA mediated whole-cell currents

- Whole cell voltage clamp recordings were obtained from layer V neurons of the mouse prelimbic cortex brain slice.
- Neurons were held at -70 mV and continuously perfused with aCSF in the presence of AMPA and GABA receptor antagonists CNQX (10 μ M) and Bicuculline (100 μ M) respectively and Tetrodotoxin (1 μ M) to reduce network activity.
- NMDA currents were evoked by applying NMDA directly to the recording chamber during continuous perfusion.
 - To test the selectivity of NMDA to NMDA receptors the experiment was repeated within the same neuron in the presence of the NMDA receptor antagonist D-AP5 (100 μ M). Under these conditions NMDA failed to induce a depolarising current.

Solubility & Handling

Solubility overview Important Soluble in water (100mM) This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not for human or veterinary use.

Chemical Data

Chemical name Molecular Weight Chemical structure

Molecular Formula CAS Number PubChem identifier SMILES InChi InChiKey MDL number

N-Methyl-D-aspartic acid 147.13 MeHN H HO₂C. CO₂H

C₅H₉NO₄ 6384-92-5 22880 CN[C@H](CC(=O)O)C(=O)O InChI=1S/C5H9NO4/c1-6-3(5(9)10)2-4(7)8/h3,6H,2H2,1H3,(H,7,8)(H,9,10)/t3-/m1/s1 HOKKHZGPKSLGJE-GSVOUGTGSA-N MFCD00004226

References

N-methyl-D-aspartic acid (NMDA) in the nervous system of the amphioxus Branchiostoma lanceolatum.

D'Aniello S *et al* (2007) BMC Neurosci 8 **PubMedID** 18096065

Regulation of N-methyl-D-aspartic acid (NMDA) receptors by metabotropic glutamate receptor 7.

Gu Z *et al* (2012) J Biol Chem 287(13) **PubMedID** 22287544

Occurrence of D-aspartic acid and N-methyl-D-aspartic acid in rat neuroendocrine tissues and their role in the modulation of luteinizing hormone and growth hormone release.

D'Aniello A *et al* (2000) FASEB J 14(5) **PubMedID** 10744627