

Hello Bio, Inc.  
304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500  
F. 609-228-4994

customercare-usa@hellobio.com



---

## DATASHEET

Recombinant human PEDF/Serpin-F1 (His Tag) protein

---

### Product overview

<b>Name</b>	Recombinant human PEDF/Serpin-F1 (His Tag) protein
<b>Cat No</b>	HB7135
<b>Species of origin</b>	human
<b>Alternative names</b>	Recombinant Human Pigment Epithelium-Derived Factor, His Tag, Pigment epithelium-derived factor, PEDF, Serpin-F1, SerpinF1, EPC-1, EPC1, PIG35.
<b>Purity</b>	>90%
<b>Description</b>	His Tag recombinant human PEDF/Serpin-F1 protein

---

### Solubility & Handling

<b>Handling</b>	<ul style="list-style-type: none"><li>• Solutions should be made in sterile deionized water (not less than 100 µg/ml). This solution can then be further diluted with other aqueous solutions.</li><li>• Following reconstitution, solutions may be stored at 4 °C and are useable for around 2-7 days and for future use store at -18 °C.</li><li>• For long term storage, a carrier protein (0.1% HSA or BSA) should be added to stock solutions. Solutions should be aliquoted into tightly sealed vials for storage at -20 °C. Freeze-thaw cycles should be prevented.</li></ul>
<b>Important</b>	This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not for human or veterinary use.

---

### Chemical Data

<b>Source</b>	E. Coli.
<b>Appearance</b>	Colourless solution (sterile filtered)
<b>Formulation</b>	Solution containing Tris-HCl buffer (20mM, pH 8.0), NaCl (100mM), and 20% glycerol

---

### References

**Pigment epithelium-derived factor (PEDF) is one of the most abundant proteins secreted by human adipocytes and induces insulin resistance and inflammatory signaling in muscle and fat cells**

Famulla S *et al* (2011) Int J Obes (Lond) 35(6)  
**PubMedID** [20938440](#)

**PEDF: a multifaceted neurotrophic factor**

Tombran-Tink J *et al* (2003) Nat Rev Neurosci 4(8)  
**PubMedID** [12894238](#)

**PEDF and its roles in physiological and pathological conditions: implication in diabetic and hypoxia-induced angiogenic diseases**

He X *et al* (2015) Clin Sci (Lond) 128(11)  
**PubMedID** [25881671](#)

---

