Hello Bio, Inc. 304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500 F. 609-228-4994

customercare-usa@hellobio.com



DATASHEET

Hoechst 33342 Staining Solution (10mg/ml)

Product overview

Name Cat No Alternative names	Hoechst 33342 Staining Solution (10mg/ml) HB9888 H33342, Bisbenzimide H 33342
Biological description	10mg/ml staining solution. Blue fluorescent DNA stain that is commonly used in fluorescent microscopy and frequently used to stain nuclei and is cell permeable. Can be used on both live and fixed cells. Solid powder form in 50mg and 100mg also available.
Biological action Description	Dyes & stains Blue fluorescent DNA stain. Nuclear stain. 10mg/ml staining solution in water. Solid also available in 50mg and 100mg.

Images



Biological Data

Application notes

#Protocol 1: Hoechst 33342 staining of mouse brain sections.

- 400µm mouse brain sections were cut using a vibratome and were incubated in carbogen bubbled artificial cerebral spinal fluid (aCSF).
- Sections were incubated in 1µg/ml Hoechst 33342 in aCSF for 20 minutes at 37 °C before being washed for 10 minutes in aCSF.
- Sections were imaged on a Leica SP8 AOBS confocal laser scanning microscope using the 405nm laser line.

Solubility & Handling

 Storage instructions
 -20°C

 Important
 This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not for human or veterinary use

Chemical Data

Chemical name

Molecular Weight Chemical structure

Molecular Formula CAS Number $\begin{array}{c} 561.93 \\ & & \\ & & \\ \hline \\ & & \\ C_{27}H_{28}N_6O.3HCI \\ 875756-97-1 \end{array}$

References

Phototoxicity of Hoechst 33342 in time-lapse fluorescence microscopy.

Purschke M et al (2010) Photochemical & photobiological sciences : Official journal of the European Photochemistry Association and the European Society for Photobiology 9

PubMedID 20931137

Analyzing Cell Death by Nuclear Staining with Hoechst 33342.

Crowley LC et al (2016) Cold Spring Harbor protocols 2016 **PubMedID** 27587774

Hoechst 33342: the dye that enabled differentiation of living X-and Y-chromosome bearing mammalian sperm.

Garner DL (2009) Theriogenology 71
PubMedID 18952273