Hello Bio, Inc. 304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500 F. 609-228-4994

customercare-usa@hellobio.com



DATASHEET

Goat Anti-Mouse IgG H&L (Janelia Fluor® 525) preadsorbed ValidAb™

Product overview

Name Goat Anti-Mouse IgG H&L (Janelia Fluor® 525) preadsorbed ValidAb™

 Cat No
 HB8144

 Host
 Goat

 Clonality
 Polyclonal

 Target
 Mouse IgG H&L


 Conjugate
 Janelia Fluor® 525


Description Goat Anti-Mouse IgG H&L Janelia Fluor® 525 secondary antibody. Part of the ValidAb™ range of

highly validated, data-rich antibodies.

Validation data









Product information

Immunogen Purified mouse IgG

Purification Immunogen affinity chromatography. Pre-adsorbed with bovine, horse, human, pig and rabbit serum

proteins

Concentration 1mg/ml

Formulation 20% glycerol in PBS with 0.05% sodium azide and 1% recombinant albumin

Tested applications

Applications FACS and flow cytometry, ICC, live cell imaging, IHC(IF)

IHC(IF) optimal concentration 1:300 to 1:2,000 dilution (0.5 - 3.3μg/ml). Optimise dependent upon assay. A good starting point is

1:500 (2µg/ml).

ICC optimal concentration 1:300 to 1:2,000 dilution (0.5 - 3.3μg/ml). Optimise dependent upon assay. A good starting point is

1:500 (2µg/ml).

Negative controlWhile this antibody has been cross-adsorbed to reduce non-specific binding it is still often worthwhile

to conduct a control experiment where the primary antibody is omitted to give confidence that the

staining pattern observed is specific.

Storage & Handling

References

Single-molecule localization microscopy.

Lelek M et al (2021) Nature reviews. Methods primers 1

PubMedID 35663461