Hello Bio, Inc. 304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500 F. 609-228-4994

customercare-usa@hellobio.com




DATASHEET


Anti-Histone H3 antibody ValidAb™

Product overview

Name	Anti-Histone H3 antibody ValidAb™
Cat No	HB6980
Host	Rabbit
Clonality	Polyclonal
Target	Histone H3
Description	Antibody to Histone H3 - Histone protein used as a loading control for western blotting. Part of the
	ValidAb TM range of highly validated, data-rich antibodies.

Validation data





Product information

Immunogen	Synthetic peptide consisting of residues from within the C-terminus of human Histone H3. The sequence of the immunogen is: REIRRYQKSTELLIRKLPFQRLMREIAQDFKTDLRFQSSAVMALQEA CESYLVGLFEDTNLCVIHAKRVTIMPKDIQLARRIRGERA
Isotype	IgG
Purification	Immunogen affinity chromatography
Concentration	0.56 mg/mL
Formulation	PBS with 0.01% thiomersal and 50% glycerol, pH7.3
Predicted species reactivity	Mouse, Rat, Human
Tested species reactivity	Mouse, Rat

Tested applications

Applications Western blot optimal concentration	WB 280ng/ml (1:2,000 dilution) as tested in a rat brain cytosol preparation
Positive control	Histone H3 is found in the nucleus of all cell types therefore any tissue or cell line can serve as a positive control.
Negative control	Any negative control tissues or cells must not contain any nuclei therefore red blood cells or platelets can work well in adittion to samples that have undergone subcellular fractionation to remove any nuclei.
Open data link	Please follow this link to OSF.

Target information

Other names

UniProt ID Gene name NCBI full gene name Entrez gene ID Amino acids	A2348 H3-4 H3.4 histone, cluster member 8290 136 (15.5kDa)
Isoforms	Histone H3 has 21 family members with this antibody having an immunogen based upon Histone H3.1t. This family member has no known isoforms. Please note that this antibody is not isoform specific.
Expression	Histone H3 is a ubiquitous protein that is expressed in almost all eukaryotic cells throughout the body. It is found in the nuclei of cells in various tissues and organs, including but not limited to the brain, heart, liver, lungs, kidneys, and skin.
Subcellular expression	Histone H3 proteins are expressed in the nucleus where they form the structure of chromatin around which DNA wounds.
Processing	Prior to forming an active conformation the initiator methionine is removed.
Post translational modifications	Histone H3 proteins are subject to numerous post-translational modifications which mediate epigenetic control of gene expression. These modifications include methylation, acetylation and phosphorylation on multiple residues amongst other modifications.
Homology (compared to human)	Compared to human Histone H3.1t:
	Histone H3.1 was the closest homologue in mice with a 97.1% identity scoreHistone H3.1t was the closest homologue in rats with a 97.1% identity score.
Similar proteins	In a BLAST search no non-Histone H3 family members were identified as having significant homology with Histone H3.1t
Epitope homology (between species)	A BLAST search of the immunogen reveals a 96.55% homology with mouse and rat Histone H3.1
Epitope homology (other proteins)	A BLAST search of the immunogen shows that the only proteins with homology to it are Histone H3 family members.

Storage & Handling

Storage instructions	-20 ° C
Important	This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not
	for human or veterinary use

References

Interactions With Histone H3 & Tools to Study Them.

Scott WA et al (2020) Frontiers in cell and developmental biology 8
PubMedID 32850821

Insights into the role of histone H3 and histone H4 core modifiable residues in Saccharomyces cerevisiae.

Hyland EM et al (2005) Molecular and cellular biology 25 **PubMedID** 16260619

Histone H3 lysine K4 methylation and its role in learning and memory.

Collins BE et al (2019) Epigenetics & chromatin 12 **PubMedID** 30616667

The double face of the histone variant H3.3.

Szenker E et al (2011) Cell research 21 **PubMedID** 21263457

Regulation of chromatin structure by site-specific histone H3 methyltransferases.

Rea S et al (2000) Nature 406 PubMedID

10949293

Regulation of chromatin structure by site-specific histone H3 methyltransferases.

Rea S et al (2000) Nature 406PubMedID10

10949293