

Hello Bio, Inc.  
304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500  
F. 609-228-4994

customercare-usa@helloworldbio.com




# DATASHEET

## 10x Western Blot Stripping Buffer

### Product overview

<b>Name</b>	10x Western Blot Stripping Buffer
<b>Cat No</b>	HB9167
<b>Biological description</b>	Hello Bio 10x Western blot Stripping buffer allows the effective removal of primary and secondary antibodies from a PVDF or nitrocellulose membrane in order to facilitate subsequent reprobing of chemiluminescent Western blots. It protects membrane bound proteins and is quick and effective while not requiring use of a fume hood or elevated temperatures.
<b>Applications Description</b>	WB 10x buffer for stripping of chemiluminescent Western blots

### Images



### Biological Data

#### Application notes

#### Stripping Protocol

1. Wash any remaining ECL solution off the membrane with a quick wash in PBS
2. Freshly dilute 10x ECL down to 1x with dH<sub>2</sub>O
3. Incubate twice for 10 minutes each in fresh stripping buffer
4. Wash membrane briefly in two changes of PBST (PBS with 0.1% Tween20)
5. Wash membrane 3 times in PBST for 5 minutes per wash
6. Block membrane before proceeding with reprobing.

For any more details on Western Blotting techniques please see our [Western blotting protocol](#).

### Solubility & Handling

#### Storage instructions

Room temperature. Do not refrigerate.

**Important**

This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not for human or veterinary use.

---