


# DATASHEET

## Anti-GFP antibody ValidAb™

### Product overview

|                    |   |
|--------------------|---|
| <b>Name</b>        | Anti-GFP antibody ValidAb™  |
| <b>Cat No</b>      | HB8365  |
| <b>Host</b>        | Chicken   |
| <b>Clonality</b>   | Polyclonal  |
| <b>Target</b>      | GFP   |
| <b>Description</b> | Antibody to GFP - green coloured fluorescent protein widely used as a tag in molecular biology. Part of the ValidAb™ range of highly validated, data-rich antibodies. |

### Validation data



### Product information

|                      |   |
|----------------------|---|
| <b>Immunogen</b>     | GFP expressed in and purified from <i>E.coli</i>                  |
| <b>Purification</b>  | Mixture of immunogen affinity purified antibody and purified IgY. |
| <b>Concentration</b> | 10mg/ml   |
| <b>Formulation</b>   | 50% PBS, 50% glycerol with 0.02% sodium azide                     |

|                              |                     |
|------------------------------|---------------------|
| Predicted species reactivity | Species Independent |
| Tested species reactivity    | Species Independent |

---

## Tested applications

|   |  |
|---|--|
| <b>Applications</b>                       | ICC, WB  |
| <b>Western blot optimal concentration</b> | Dependent upon sample GFP expression. We observed a 1:8,000 dilution to be optimal in pEGFP-C2 transfected HEK293 cells. |
| <b>ICC optimal concentration</b>          | Dependent upon sample GFP expression. We observed a 1:8,000 dilution to be optimal in pEGFP-C2 transfected HEK293 cells. |
| <b>Positive control</b>                   | Any tissue or cell sample that has been engineered to express GFP.   |
| <b>Negative control</b>                   | Any wild type tissue or cellular sample.   |
| <b>Open data link</b>                     | Please follow <a href="#">this link to OSF</a>   |

---

## Target information

|   |  |
|---|--|
| <b>Other names</b>                      | EGFP, green fluorescent protein, EYFP  |
| <b>UniProt ID</b>                       | P42212   |
| <b>Gene name</b>                        | GFP  |
| <b>NCBI full gene name</b>              | green fluorescent protein  |
| <b>Amino acids</b>                      | 238 (27kDa)  |
| <b>Isoforms</b>                         | None   |
| <b>Expression</b>                       | Exogenously expressed only. Not expressed natively in mammalian cells.   |
| <b>Subcellular expression</b>           | GFP is generally expressed cytosolically in basic constructs however expression can be directed to any cellular compartment through GFP-tagged proteins that naturally express in only certain compartments. |
| <b>Processing</b>                       | NA   |
| <b>Post translational modifications</b> | NA   |
| <b>Homology (compared to human)</b>     | NA   |
| <b>Similar proteins</b>                 | EGFP (enhanced GFP, 26.9kDa) and YFP (yellow fluorescent protein, 26.4kDa) are both extremely similar.   |

---

## Storage & Handling

|                             |  |
|-----------------------------|--|
| <b>Storage instructions</b> | -20°C  |
| <b>Important</b>            | This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not for human or veterinary use |

---

## References

### Green fluorescent protein: a perspective.

Remington SJ (2011) Protein science : a publication of the Protein Society 20

**PubMedID** [21714025](#)

### Fluorescent proteins as biomarkers and biosensors: throwing color lights on molecular and cellular processes.

Stepanenko OV et al (2008) Current protein & peptide science 9

**PubMedID** [18691124](#)

### A guide to choosing fluorescent proteins.

Shaner NC et al (2005) Nature methods 2

**PubMedID** [16299475](#)

### The green fluorescent protein.

Tsien RY (1998) Annual review of biochemistry 67

**PubMedID**

[9759496](#)

**Crystal structure of the Aequorea victoria green fluorescent protein.**

Ormö M et al (1996) Science (New York, N.Y.) 273

**PubMedID**

[8703075](#)

---