

Hello Bio, Inc.  
304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500  
F. 609-228-4994

customercare-usa@hellobio.com




## DATASHEET

Goat Anti-Rabbit IgG H&L (HRP) preadsorbed ValidAb™

### Product overview

<b>Name</b>	Goat Anti-Rabbit IgG H&L (HRP) preadsorbed ValidAb™
<b>Cat No</b>	HB9524
<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Target</b>	Rabbit IgG H&L
<b>Conjugate</b>	Horseradish peroxidase (HRP)
<b>Description</b>	Goat Anti-Rabbit IgG H&L Horseradish peroxidase (HRP) secondary antibody. Part of the ValidAb™ range of highly validated, data-rich antibodies.

### Validation data



### Product information

<b>Immunogen</b>	Purified rabbit IgG
<b>Isotype</b>	IgG
<b>Purification notes</b>	Immunogen affinity chromatography. Pre-adsorbed with mouse and human serum proteins
<b>Concentration</b>	0.35mg/ml
<b>Formulation</b>	50% Glycerol, 50% PBS pH 7.4 with 0.05% ProClin-300

### Tested applications

<b>Applications</b>	ELISA, IHC, WB
<b>Western blot optimal concentration</b>	Dependent on assay. A 1:20,000 dilution is a good starting point.
<b>Open data link</b>	Please follow this <a href="#">link to OSF</a>

### Storage & Handling

<b>Storage instructions</b>	-20°C
<b>Important</b>	This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not

## References

**Coordinated interplay between palmitoylation, phosphorylation and SUMOylation regulates kainate receptor surface expression.**

Yucel BP et al (2023) Frontiers in molecular neuroscience 16

**PubMedID** [37868810](#)

**The induction of p53 correlates with defects in the production, but not the levels, of the small ribosomal subunit and stalled large ribosomal subunit biogenesis.**

Eastham MJ et al (2023) Nucleic acids research 51

**PubMedID** [37526268](#)

**Western blot: technique, theory, and trouble shooting.**

Mahmood T et al (2012) North American journal of medical sciences 4

**PubMedID** [23050259](#)

---