Hello Bio, Inc. 304 Wall St., Princeton, NJ 08540 USA

T. 609-683-7500 F. 609-228-4994

customercare-usa@hellobio.com



DATASHEET

DETQ

Product overview

Name DETQ
Cat No HB15406
Biological action Potentiator
Purity >98%

Description Dopamine D₁ receptor selective PAM. Enhances genetically encoded dopamine sensor (e.g. dLight)

sensitivity.

Images



Biological Data

Biological description

Potent and selective dopamine D_1 receptor positive allosteric modulator ($K_b = 11.4$ nM and $EC_{50} = 5.8$ nM in human D_1 receptors). Suitable for use with genetically encoded dopamine sensors to enhance their sensitivity. When used with the dLight1.3b genetically encoded dopamine sensor, DETQ administration leads to an 8-fold increase in dopamine sensitivity (2μ M to 244nM) with a K_b of 54nM. Due to a 30-fold lower affinity for rodent D_1 receptors (Mouse D_1 : $K_b = 312$ nM) compared to human ($K_b = 11.4$), DETQ is suitable for chemogenetic modulation of human based dopamine sensors in rodents. No cross-reactivity observed with D_2 , D_5 , B_2 , 5HT $_6$ receptors. DETQ reverses reserpine induced locomotor deficits alongside increasing PFC histamine and acetylcholine concentrations in human D1 expressing mice. Orally bioavailable, active in-vivo and blood brain barrier permeable.

Solubility & Handling

Solubility overview Storage instructions Storage of solutions Soluble in DMSO

-20°C

Prepare and use solutions on the same day if possible. Store solutions at -20°C for up to one month if storage is required. Equilibrate to RT and ensure the solution is precipitate free before use.

For in vivo administration, Labouesse MA et al (2024) use a vehicle consisting of 20% 2-hydroxy-

propyl-beta-cyclodextrin in puriified water with ultrasonication

Shipping Conditions

Important

Handling

Stable for ambient temperature shipping. Follow storage instructions on receipt. This product is for RESEARCH USE ONLY and is not intended for therapeutic or diagnostic use. Not

for human or veterinary use

Chemical Data

Chemical name 2-(2,6-dichlorophenyl)-1-[(1S,3R)-3-(hydroxymethyl)-5-(2-hydroxypropan-2-yl)-1-methyl-3,4-dihydro-1

H-isoquinolin-2-yl]ethanone

Molecular Weight Chemical structure 422.3

Source Synthetic

InChl=1S/C22H25Cl2NO3/c1-13-15-6-4-7-18(22(2,3)28)16(15)10-14(12-26)25(13)21(27)11-17-19(2

3)8-5-9-20(17)24/h4-9,13-14,26,28H,10-12H2,1-3H3/t13-,14+/m0/s1

InChiKey CWRORBWPLQQFMX-UONOGXRCSA-N

Appearance white solid

References

Preclinical profile of a dopamine D1 potentiator suggests therapeutic utility in neurological and psychiatric disorders

Bruns RF et al (2018) Neuropharmacology **PubMedID** 29102759

A chemogenetic approach for dopamine imaging with tunable sensitivity

Labouesse MA et al (2024) Nature Communications **PubMedID** 38956067

Intracellular Binding Site for a Positive Allosteric Modulator of the Dopamine D1 Receptor

Wang X et al (2018) Molecular Pharmacology **PubMedID** 30111649